










Monster Belting Industry Co., Ltd.

Chevron Mould	Mould No.	Mould width (BW/mm)	Cleat width (CW/mm)	Cleat pitch (CP/mm)	Cleat height (mm)	Top width of cleat (mm)	Bott.width of cleat (mm)	Available Product width (mm)
 <p>Open V type</p>	Open V385-C5	1200	385	250	5	25	25	500~1000
	Open V400-C15	1200	400	250	15	12	20	500~1000
	Open V490-C8	1200	490	250	8	20	20	550~1000
	Open V580-C10	1200	580	250	10	20	20	700~1200
	Open V700-C20	1200	700	220	20	20	20	800~1000
	Open V750-C10	1300	750	250	10	20	20	850~1200
	Open V750-C15	1300	750	250	15	12	20	850~1000
 <p>Close V type</p>	Close V400-C5	1200	400	130	5	20	20	500~1000
	Close V640-C10	1200	640	240	10	18	18	750~1000
	Close V670-C25	1200	670	270	25	15	25	750~1000
 <p>H type</p>	H460-C32	1200	460	330	32	12	24	550~1000
	H580-C32 (1)	1200	580	330	32	12	24	650~1000
	H580-C32 (2)	1200	580	300	32	12	24	650~1000
	H630-C32	1200	630	330	32	12	24	700~1000
	H750-C32	1400	750	330	32	12	24	850~1200
	H900-C32	1850	900	330	32	12	24	1000~1600
 <p>L type</p>	L440-C17	1000	440	330	17	10	17	550~900
	L630-C17	1200	630	330	17	14	20	700~1000

Monster Belting Industry Co., Ltd.

 <p>Fishbone type</p>	R760-C14	1200	760	500	14	20	20	850~1000
 <p>Concave pattern</p>	B A760-C5	1400	760	200	-5	20	20	800~1100
 <p>A type</p>	A1010-C25	1600	1010	250	25	10	18	1300~1500
 <p>Y type</p>	B120-Y30 LEFT	1600	1200	338	30	10	22	1300~1500
	B98-Y32 LEFT	1400	980	500	33	12	24	1200~1600
	B78-Y32 LEFT	1200	780	500	33	12	24	950~1100
	B48-Y32 RIGHT	1200	480	500	33	12	24	600~1100
	B58-Y10 RIGHT	1200	580	200	10	10	15	700~1000
 <p>Multi-V type</p>	V1100-C5	1600	1100	69.3	5	8	8	1200~1400

Monster Belting Industry Co., Ltd.



L TYPE

H TYPE

A TYPE

Y TYPE



WOODEN PALLET+UV PROTECTION



IRON SHELF+UV PROTECTION
